This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

	SECOND ELECTRODE 103
ELECTROLUMINESCENT LAYER 102	LIGHT-EMITTING LAYER 112 (HOST MATERIAL + GUEST MATERIAL HOLE TRANSPORTING LAYER 111
(//////////////////////////////////////
	SUBSTRATE 100

FIG. I

ELECTROLUMINESCENT	SECOND ELECTRODE 103 (CATHODE) ELECTRON TRANSPORTING LAYER 213
LAYER 202	LIGHT-EMITTING LAYER 212
	(HOST MATERIAL + GUEST MATERIAL)
	HOLE TRANSPORTING LAYER 211
	\
,	FIRST ELECTRODE IOI
	SUBSTRATE 100

FIG. 2

Page 3 of 10 ELECTROLUMINESCENT DEVICE Satoshi Seo et al. 12732-220001 / US7048

ELECTROLIMINESCENT LAYER 302	LIGHT-EMITTING LAYER 311 (HOST MATERIAL + GUEST MATERIAL) FIRST ELECTRODE (ANODE)
r	VIIII II III III II II
	SUBSTRATE 100


FIG.3

SECOND ELECTRODE 403 ((CATHODE)	À1:100nm	
(CATHUVE)	CaF: 2nm LIGHT-EMITTING LAYER 4/3 (HOST MATERIAL + GUEST MATERIAL)	. ;
ELECTROLUMINESCENT LAYER 402	(TPBI + COUMARIN 30 (50nm)) HOLE TRANSPORTING LAYER 412 (X-NPD (30nm))	
	HOLE INTECTING LAYER 411 (Cu-Pc (20 nm)) ///////////////////////////////////	
	(ITO (100nm)) ///////////////////////////////////	


FIG. 4

SECOND ELECTRODE (CATHODE) 503	CaF: 2nm ELECTRON TRANSPORTING LAYER 514 (TPBI (30nm))	
ELECTROLUMINESCENT LAYER 502	LIGHT-EMITTING LAYER 5/3 (HOST MATERIAL + GUEST MATERIAL) HOLE TRANSPORTING LAYER 5/2 (X-NPD (30 nm))	
	HOLE INJECTION LAYER 511 (Cu-Pc (20 nm)) FIRST ELECTROPE (ANODE) 501 (ITO (110 nm))	
	SUBSTRATE 500	


FIG.5




Luminance vs. Current density




Luminance vs. Voltage




Current efficiency vs. Luminance



Current vs. Voltage



1



Page 10 of 10 ELECTROLUMINESCENT DEVICE Satoshi Seo et al. 12732-220001 / US7048

